

# Biodiversity in southern Africa

Norbert Jürgens, Ute Schmiedel

University of Hamburg,  
Biocentre Klein Flottbek and Botanical Garden

and

M. Timm Hoffman

University of Cape Town,  
Plant Conservation Unit

(Overall editors for concept and structure;  
for citation please refer to Volumes 1 to 3 separately)



Göttingen & Windhoek  
2010

# Volume 1

## Patterns at local scale—the BIOTA Observatories

Preface .....	VII
Organisations that participated in BIOTA Southern Africa .....	X
Acknowledgements of the editors .....	XI
Authors' general acknowledgements .....	XII

### Part I

#### BIOTA Southern Africa

I.1	Challenges and international framework .....	1
I.2	Structure and elements of the project and course of the project over the three Phases .....	2
I.3	BIOTA's contribution to global biodiversity monitoring and standardization—in the past, at present, and in the future.....	4

### Part II

#### The BIOTA Observatories

<b>II.1</b>	<b>Methods</b>	
II.1.1	The BIOTA transects in southern Africa .....	7
II.1.2	Spatial design of the BIOTA Biodiversity Observatories .....	12
II.1.3	Responsible authors per Section type and Observatory in alphabetic order .....	14
II.1.4	Sampling and analytical methods used for the standardised descriptions of the Observatories .....	17
II.1.5	How to read the Observatory descriptions.....	40
<b>II.2</b>	<b>Woodland Savanna</b> .....	66
II.2.1	Mile 46 (S01) .....	70
II.2.2	Mutompo (S02) .....	92
II.2.3	Sonop (S03) .....	118
II.2.4	Ogongo (S42).....	140
II.2.5	Omano go Ndjamba (S43) .....	152
<b>II.3</b>	<b>Thornbush Savanna</b> .....	164
II.3.1	Toggekry (S04) .....	168
II.3.2	Otjiamongombe (S05) .....	194
II.3.3	Okamboro (S06) .....	222
II.3.4	Rooisand (S37) .....	246
II.3.5	Claratal (S38) .....	262
II.3.6	Sandveld (S41) .....	280
II.3.7	Alpha (S17) .....	300

<b>II.4</b>	<b>Nama Karoo</b> .....	<b>316</b>
II.4.1	Narais (S39) .....	320
II.4.2	Duruchaus (S40) .....	348
II.4.3	Niko North (S08) .....	372
II.4.4	Niko South (S09) .....	384
II.4.5	Gellap Ost (S10) .....	396
II.4.6	Nabaos (S11) .....	428
II.4.7	Karios (S12) .....	452
<b>II.5</b>	<b>Namib Desert</b> .....	<b>474</b>
II.5.1	Wlotzkasbaken (S16) .....	478
II.5.2	Kleinberg(S34) .....	500
II.5.3	Gobabeb (S35) .....	516
II.5.4	Ganab (S36) .....	530
<b>II.6</b>	<b>Succulent Karoo</b> .....	<b>546</b>
II.6.1	Koeroegap Vlakte (S18) .....	550
II.6.2	Numees (S20) .....	572
II.6.3	Groot Derm (S21) .....	594
II.6.4	Soebatsfontein (S22) .....	614
II.6.5	Paulshoek (S24) .....	644
II.6.6	Remhoogte (S25) .....	662
II.6.7	Goedehoop (S26) .....	680
II.6.8	Ratelgat (S27) .....	698
II.6.9	Moedverloren (S28) .....	716
<b>II.7</b>	<b>Fynbos</b> .....	<b>732</b>
II.7.1	Rocherpan (S29) .....	736
II.7.2	Riverlands (S31) .....	748
II.7.3	Elandsberg (S32) .....	762
II.7.4	Cape of Good Hope (S33) .....	776
II.7.5	Nieuwoudtville (S45) .....	790
<b>II.8</b>	<b>References</b> .....	<b>796</b>

# Volume 2

## Patterns and processes at regional scale

### Part III

#### Patterns and processes at regional scale

##### III.1 Reconstruction of historical changes

III.1.1	Climate history of Namibia and western South Africa	2
III.1.2	Landscape and vegetation change in Namibia since 1876 based on the photographs of the Palgrave Commission	6
III.1.3	An analysis of 20th century vegetation change in Namaqualand using repeat photography	15

##### III.2. Large-scale patterns and dynamics

III.2.1	Regional climatological patterns and their simulated change	24
III.2.2	Spatial patterns of topography in southern Africa	29
III.2.3	Large-scale vegetation assessments in southern Africa: concepts and applications using multi-source remote sensing data	32
III.2.4	Towards a user-friendly vegetation map of Namibia: ground truthing approach to vegetation mapping	46
III.2.5	Diversity and endemism of true bugs (Heteroptera) in the arid biomes of south-western Africa	57
III.2.6	Dragonfly diversity from the Cape to the Kavango	64
III.2.7	The relevance of perennial springs for regional biodiversity and conservation	70

##### III.3. Patterns and dynamics along the BIOTA transects

III.3.1	Surface climate and its simulated change along the BIOTA transects	76
III.3.2	Elevation profile along transects	81
III.3.3	Soils along the BIOTA transects	84
III.3.4	Biological soil crusts along the BIOTA Southern Africa transects	93
III.3.5	Patterns of soil lichen diversity along the BIOTA transects in relation to climate and soil features	100
III.3.6	Changing patterns of lichen growth form distributions within the lichen fields of the Central Namib	107
III.3.7	Lichen distribution along an ocean-inland transect in the fog zone of the Central Namib	112
III.3.8	Patterns and dynamics of vascular plant diversity along the BIOTA transects in southern Africa	118
III.3.9	Life forms along the BIOTA transects—new perspectives on biomes in southern Africa	136
III.3.10	Using the MODIS Enhanced Vegetation Index (EVI) for BIOTA transect analyses	145
III.3.11	Basic patterns of Lepidoptera diversity in Namibia	149

##### III.4. Case studies on biodiversity patterns

III.4.1	Mapping of biological soil crusts in the Succulent Karoo using hyperspectral remote sensing data	158
III.4.2	Snail shells as shelters for arthropods in the sand dunes of the Namaqualand Sandveld (Northern Cape Province, South Africa)	163
III.4.3	Dispersal strategies of desert inhabiting dragonflies—comparative population genetic study of five widely distributed species	167
III.4.4	Reptile diversity in savanna rangelands at a regional scale	175
III.4.5	Coloniality of birds in the Kalahari—spatial distribution of trees and nests of the Sociable Weaver ( <i>Philetairus socius</i> )	179
III.4.6	Shrub pattern affects reproductive success in the Yellow Mongoose ( <i>Cynictis penicillata</i> )	184

<b>III.5. Human impacts on biodiversity</b>	
III.5.1 Biodiversity conservation under Namibian environmental law	190
III.5.2 Traditional and modern use of biodiversity—customary law and its potential to protect biodiversity	195
III.5.3 Economic and ecological indicators of land reform projects in eastern Namibia	200
III.5.4 Evaluation of the soil degradation state along fence-line contrasts	207
III.5.5 Impact of landuse at landscape scale, using fenceline contrasts and a best-practice case study	214
III.5.6 Plant functional traits and types as a tool to analyse landuse impacts on vegetation	222
III.5.7 The impact of grazing on pollinators and pollination	233
III.5.8 Overgrazing favours desert species—differences in arthropod and small mammal communities of the twin sites Gellap Ost and Nabaos	239
<b>III.6 Expanding knowledge through experiments</b>	
III.6.1 Responses of dwarf succulent plants, lichens, and soils to experimental climate warming in an arid South African ecosystem	246
III.6.2 Exclosures and experimental grazing plots at the BIOTA Observatories Narais and Duruchaus	251
III.6.3 Restoration of a gully system in the Highland Savanna of Namibia	255
III.6.4 The effectiveness of sucrose applications as a restoration aid in transformed lowland fynbos ecosystems	260
III.6.5 Understanding norms and propensities for cooperation and collective action: economic experiments within BIOTA	265
<b>III.7 Expanding knowledge through models</b>	
III.7.1 The role of models in biodiversity observation schemes	272
III.7.2 Modelling vegetation change in arid and semi-arid savannas	274
III.7.3 Modelling animal responses to changes in climate and landuse	283
III.7.4 A spatially explicit model for interacting populations of dragonflies in arid Namibia	289
III.7.5 Bio-economic modelling in BIOTA Southern Africa: approaches developed, empirical foundation, results, and lessons learnt	295
III.7.6 Model-based simulation tools	302
<b>III.8 Stakeholder interactions and capacity development</b>	
III.8.1 BIOTA's strategies for stakeholder interaction and capacity development	308
III.8.2 Learning from each other: participatory research with landusers on management applications	311
III.8.3 The BIOTA para-ecologist programme—towards capacity development and knowledge exchange	319
III.8.4 Film making as an instrument of research communication and capacity development	326
III.8.5 Recommendations and decision support for local to national level decision makers	332
III.8.6 Data access and availability: BIOTA data facility	337
III.8.7 Lessons learnt from interdisciplinary participatory research in the BIOTA project	343

# Volume 3

## Implications for landuse and management

### Part IV

#### Implications for landuse and management

<b>IV.1</b>	<b>Causes and perspectives of land-cover change through expanding cultivation in Kavango</b>	
IV.1.1	Introduction	2
IV.1.2	Research site, setting, and methodologies	3
IV.1.3	The status quo of the cultivation system	6
IV.1.4	The dynamics of expanding cultivation	7
IV.1.5	Biodiversity status quo and potentials	8
IV.1.6	Human aspects of cultivation within the farming system	16
IV.1.7	The role of statutory and customary law in governing the cultivation of land	22
IV.1.8	Summarising results	24
IV.1.9	Discussion and steps forward	27
<b>IV.2</b>	<b>Impacts of landuse and climate change on the dynamics and biodiversity in the Thornbush Savanna Biome</b>	
IV.2.1	Introduction: current knowledge and key challenges	34
IV.2.2	“When is a Change a Change?”	35
IV.2.3	Eco-hydrology of Thornbush Savanna	38
IV.2.4	Vegetation pattern and biodiversity dynamics	44
IV.2.5	Risk assessments	54
IV.2.6	Integrated socio-economic and ecological research	63
IV.2.7	Recommendation for landusers and conservation planners	65
IV.2.8	Future research needs	70
<b>IV.3</b>	<b>An ecological-economic analysis of the pastoral systems of the Nama Karoo in southern Namibia</b>	
IV.3.1	Introduction	76
IV.3.2	Rehoboth area: dynamics of small-scale commercial pastoral systems	77
IV.3.3	Keetmanshoop region: socio-economic analysis of large commercial ranching systems of south-central Namibia	84
IV.3.4	Namaland: drivers of landuse in communal pastoralism	92
IV.3.5	Rangeland—landuse interactions and suggestions for the management of pastoral systems in the Namibian Nama Karoo	104

<b>IV.4</b>	<b>Environmental and socio-economic patterns and processes in the Succulent Karoo— frame conditions for the management of this biodiversity hotspot</b>	
IV.4.1	Introduction	111
IV.4.2	Interdependence of soils and vascular plant vegetation in the Succulent Karoo	114
IV.4.3	Old field succession in the Namaqua National Park, Succulent Karoo, South Africa	119
IV.4.4	Restoring degraded rangelands in the Succulent Karoo: lessons learnt from four trials	122
IV.4.5	Land management in the biodiversity hotspot of the Succulent Karoo. A case study from Soebatsfontein, South Africa	133
IV.4.6	Conclusions and further research needs	154
<b>IV.5</b>	<b>Keeping the Cape Lowland archipelago afloat</b>	
IV.5.1	Introduction	153
IV.5.2	Diversity disrupted	158
IV.5.3	Processes disrupted	168
IV.5.4	How to deal with fragmentation and its effects—management and intervention	170

**Part V**  
**Indices**

<b>V.1</b>	<b>Abbreviations</b>	182
<b>V.2</b>	<b>List of scientific names</b>	184
<b>V.3</b>	<b>Biosketches of authors and editors</b>	209